



OJR410B



OJR412B



OJR414B



OJR416B



OJR418B

INTERFACE SIZE	XS	S	M	L	XL
Weight (per kit)	31.2 g	31.6 g	33.8 g	38.0 g	38.3 g
Description	The F&P Optiflow™ Junior 2 Blender Transition Kit allows the use of Optiflow Junior 2 interface with approved F&P breathing circuits when connected to a blender to deliver heated and humidified nasal high flow (NHF) therapy.				

PRODUCT SPECIFICATIONS

Connection	Easy-click connector
Quantity	Box of 5
Box components	F&P Optiflow Junior 2 nasal interface, pressure relief manifold, adapter, user instructions
Packaging materials	Outer: cardboard box; interface clamshell: PET; user instruction: paper
Packaging dimensions (L x W x H mm)	Box: 227 x 129 x 144



PERFORMANCE

Ambient range	18 – 26 °C / 64 – 79 °F
Usage	Single patient use
Duration of use	7 days
Storage temperature	Min: -10 °C / 14 °F, Max: +50 °C / 122 °F
Shelf life	3 years
Nominal relief pressure	40 cmH ₂ O

COMPONENTS AND COMPOSITIONS

Predominant materials	Interface: Thermoplastic elastomer, hydrocolloid, ABS, stainless steel Manifold: Thermoplastic elastomer white, ABS, stainless steel, silicon rubber Adapter: Polypropylene
Materials not present	Not manufactured with natural latex, PVC or phthalates (DEHP, DBP, BBP)
Manufacturing mode	Non-invasive device; produced in a controlled working environment
Disposal	Incineration or according to hospital protocol for interface, manifold and adapter; Clamshell packaging and label recyclable PET



INTERFACE SIZE		XS	S	M	L	XL
COMPATIBLE HUMIDIFIERS	CIRCUIT	FLOW RATES* (L/MIN)				
 MR850	BC151, BC161, BC153, BC163	4 - 8	4 - 9	4 - 10	4 - 15	4 - 15
 F&P 950™ **	950N60/J, 950N61/J, 950N62/J, 950N80/J, 950N81/J, 950N82/J	0.5 - 10	0.5 - 10	0.5 - 11	0.5 - 28	0.5 - 31

COMPATIBLE SPARES

F&P Wigglepads 2	WJR110	WJR112
Packaging dimensions (L x W x H mm) - Pack	110 x 85 x 30	113 x 82 x 25
Packaging dimensions (L x W x H mm) - Case	172 x 124 x 30	175 x 125 x 32
Quantity	Case: 40 each (2 packs of 20)	

REGULATORY

Classification	AU-IIa, EU-IIa, Canada-IIa, US-I	
Country of origin	New Zealand	
Notified body	TÜV SÜD Product Services GmbH CE0123	
Standard	Medical tapers used comply with ISO 5356-1	
GTIN Code - OJ2 Nasal Interface	OJR410B	09420012448842
	OJR412B	09420012448866
	OJR414B	09420012448880
	OJR416B	09420012448903
	OJR418B	09420012448927
GTIN Code - Wigglepads 2	WJR110	09420012454829
	WJR112	09420012454812
GMDN Code	35201	

* Flow rates above describe technical capability of the product when used at sea level. Ensure clinical judgement is used when prescribing flow rates.

** F&P 950™ System may not be available in all countries
F&P 950™ System is currently not cleared for sale in the USA